



Photo: A. Christen

05 Short-wave radiative transfer


Learning objectives

- Describe how radiation interacts with mass.
- Understand how can we determine the transmission of short-wave radiation through the atmosphere.




Photo: A. Christen

Mass-radiation interactions




To calculate K_{\downarrow} at the ground, we need to know the effect of the atmosphere in depleting solar radiation.



Irradiance


Irradiance Q is the total radiant flux from 2π sr reaching a unit area of a given surface with units **W m^{-2}** .



Review: Direct and diffuse irradiance

Two types of solar radiation arrive at the Earth's surface:

- Direct (S): comes directly in parallel rays from Sun.
- Diffuse (D): after scattering and reflection by the Earth's atmosphere and nearby objects.



Pyranometer

Measures direct+diffuse irradiance


Pyrheliometer

Measures direct irradiance



Diffusometer
Measures diffuse irradiance
because shaded

Pyrheliometer
Measures direct irradiance



Distribution of direct and diffuse radiation






Photo: A. Christen

Calculation of K_{\downarrow} - slab approach


As a simple slab approach we write:

$$K_{\downarrow} = K_{Ex} \Psi_a^m$$

where the vertical transmissivity of the atmosphere Ψ_a depends on turbidity of the air (scattering + absorption) and path length through the atmosphere (m , the optical air mass number).

$$m = \frac{\text{slant path}}{\text{zenith distance}} = \frac{a}{c} = (\cos Z)^{-1}$$

Ψ_a varies from about 0.9 (clean) to 0.6 (dirty, smog)



Test your knowledge

Assuming that K_{Ex} is 450 W m^{-2} , $\Psi_a = 0.84$, and $Z = 68^\circ$, what is K_\downarrow ?

Join at:
vevox.app

ID:
433-971-976



$$K_\downarrow = K_{Ex} \Psi_a^m$$

$$m = (\cos Z)^{-1}$$

$$\Psi_a = 0.80$$



$$\Psi_a = 0.73$$




$$\Psi_a = 0.58$$


05-Aug-2010 (forest fires)




July 2 to 9, 2015



Effect of forest fire smoke



Summer 2015 - effect of forest fire smoke



Take home points

- As short-wave radiation passes through the atmosphere, it is **reflected, scattered** and **absorbed**.
- At the surface, we therefore experience **diffuse irradiance** in addition direct-beam irradiance.
- The transmission of direct-beam radiation can be described by a slab approach using a **bulk atmospheric transmissivity**.